Google scholar | email data storage proxy module engine protocol engine "front end" | [   ]   Advanced Scholar Search

Scholar | Articles and patents | [   ] - | 2003 | | include citations | ☑ Create email alert   Results **1 - 100** of about **309**. (0.23 sec)

Computer architecture and method for collecting, analyzing and/or transforming internet and/or electronic commerce **data** for **storage** into a **data storage** area
KA Papierniak, JE Thaisz, AM Diwekar... - US Patent ..., 2000 - Google Patents
... OR ELECTRONIC COMMERCE **DATA** FOR **STORAGE** INTO A **DATA STORAGE** AREA [75 ... 7
308' WEB SERVER, **DATA** WAREHOUSE WEBWAREHOUSE' WEBTRACK WEBSMART ■302 ...
00 o CO CGI WEB INTERFACE & FORMS MATHEMATICAL **ENGINE** FORMATTING CC ...
Cited by 220 - Related articles - All 2 versions

External **data** store link for a profile service
R Kumar... - US Patent 6,343,287, 2002 - Google Patents
... Similarly, a file system cannot be amended to serve as a directory for other types of devices (eg,
an **email** directory). ... The term **data** store also includes software applications that act as ^ a shell
or **proxy** for a physical **data storage** device such as a **data** access service or a ...
Cited by 179 - Related articles - All 2 versions

[PS] A new architecture for managing enterprise log **data**   [PS] from usenix.org
A Sah - USENIX Systems Administration (LISA XVI) ..., 2002 - usenix.org
... topica: over 60 GB per day logging **email** traf- fic. • TerraLycos: 75 GB per day of weblogs from
12 major web portals. ... Networking **Data** Management, Indexing, **Storage** ... In this way, you can write
custom parsers and use third party libraries (eg, perl5 modules) to parse the **data**. ...
Cited by 14 - Related articles - View as HTML - All 6 versions

Asynchronous **protocol** framework
PS Jensen, PS Veselov... - US Patent App. ..., 2002 - freepatentsonline.com
... example is an in-vehicle **email** system that automatically downloads and reads the driver's **email**. ...
tier 208 connects to the back-end network 216 through which **data storage** systems (eg ... The joining
of **data** and operations into a unitary building block is called "encapsulation.". ...
Cached

Internet server appliance platform with flexible integrated suite of server resources and content
delivery capabilities supporting continuous **data** flow demands and ...
K Afkhami, C Shavers... - US Patent App. ..., 2001 - freepatentsonline.com
... IP address from a centralized DHCP server. **Email** Server, The Electronic Mail (**Email**) server
handles the. routing and transport of **email** messages. ... In this configuration, **data** is received for
storage and retrieved from **storage** via the Ethernet links (42 , 42 '). ...
Cached

System and method for **data** transfer acceleration in a TCP network environment
M Reinschmidt - US Patent App. 20,020/078,164, 2000 - freepatentsonline.com
... 20050102348, Integrated web based **email** system and document **storage** manager, May,
2005, Parsons et al. ... The various components of the STIC algorithm are: [0111] i. session
identifier—recognizes start of session and sends **data** to analysis **module**. ...
Cached

Internet server appliance platform with flexible integrated suite of server resources and content
delivery capabilities supporting continuous **data** flow demands and ...
K Afkhami, C Shavers, KS Campbell... - US Patent App. 10/ ..., 2001 - Google Patents
... invention may be employed given proper application software and configuration of **storage** blades,
server ... DB) Databases provide a standard means to store and Server organize **data** so that it ... **Email**
Server The Electronic Mail (**Email**) server handles the routing and transport of ...

Collection and integration of internet and electronic commerce **data** in a database during web
browsing
KA Papierniak, JE Thaisz... - US Patent 6,128,624, 2000 - Google Patents
... 7 308 WEB SERVER, •306 **DATA** WAREHOUSE WEBWAREHOUSE' WEBTRACK WEBSMART
-302 INTERNET 300- ■304 ... o < CO AR :>ty CC h- LU CO Oj < 1— U_ rz < < CC \ CO CO 7 o o
CO CGI WEB INTERFACE & FORMS MATHEMATICAL **ENGINE** FORMATTING CC ...
Cited by 198 - Related articles - All 2 versions

Performance comparison of middleware architectures for generating dynamic web content   [PDF] from psu.edu
E Cecchet, A Chanda, S Elnikety... - Proceedings of the ..., 2003 - portal.acm.org
... price and not on performance, such as the requirement to provide enough **storage** for 180 ... The
database stores all persistent **data** except for the images, which are stored in the ... Customer
information, includ- ing real name and user name, contact information (**email**, address) and ...
Cited by 187 - Related articles - BL Direct - All 28 versions

Computer architecture and method for validating and collecting and metadata and **data** about the

internet and electronic commerce environments (**data** discoverer)
KA Papiernak, JE Thaisz.. - US Patent 6,151,584, 2000 - Google Patents
... MATHEMATICAL FORMATTING & FORMS **ENGINE** & WEBSMART WEB CLIENT (DECISION
SUPPORT USER) • ISP BUSINESS MANAGER • ISP IT MANAGER • ISP BUSINESS CLIENTS
WEBTRACK ISP I CUSTOMER PROFILES SYSTEM LOGS **DATA** SEARCH & ...
Cited by 150 - Related articles - All 2 versions

[PDF] Integrating Distributed Heterogenous Databases and Distributed Grid Computing
T Niemi, M Niinimäki.. - ICEIS (1), 2003 - Citeseer
... Tapio Niemi **Email**: tapio@cs.uta.fi Marko Niinimäki **Email**: marko.niinimaki@cern.ch Vesa
Sivunen **Email**: vesa.sivunen@cern.ch ... Analysis servers are just computing power and **data**
5 Page 6. **storage** for the jobs and they can be easily multiplied. ...
Cited by 3 - Related articles - View as HTML - All 5 versions

[PDF] September 8, 1997
M Ginsburg - 1997 - Citeseer
... Stern School of Business Information Systems Department 44 W 4 St., 9-181 MEC, NY NY 10012
email mark@edgar ... All we have to do is make sure the temporary **data storage** area, where we
collect the documents centrally, is organized ... In this case, the document **data** includes ...
Related articles - View as HTML - All 2 versions

A self-managing **data** cache for edge-of-network Web applications
K Amiri, S Park... - Proceedings of the eleventh ..., 2002 - portal.acm.org
... design is to achieve the seamless deployment of a self-managing **proxy** cache along with ... schema
tables whenever possible such that multiple query results share the same physical **storage**. ...
efficiency but also simplifies the task of con- sistency maintenance because **data** in the ...
Cited by 10 - Related articles - All 11 versions

[PDF] Over the Air Programmable Stand-Alone Controllers Using GPRS Technology
K Mayer - Department of Engineering, Canberra, The Australian ..., 2002 - mti.ugm.ac.id
... their servers on a regular basis, thus creating a link between the **data** logging and the **data storage**
on the servers. 6 ... and the user monitoring it. The user will then be able to retrieve the **data** from
their servers by FTP, a custom thin client application, **email** or some other means. ...
Cited by 5 - Related articles - View as HTML - All 4 versions

System and method for electronic **data** delivery
DM Harvey, YC Pandya, JC Anigbogu... - US Patent ..., 2003 - Google Patents
... A transfer **protocol** with a unique way of using pointers and sockets to interact directly at the
TCP/IP level allows for the bypassing of software middle- ware. ... The system further comprises
a workflow order generat- ing **module** in the central **data** hub computer that allows a ...
Cited by 103 - Related articles - All 2 versions

E-service to manage and export contact information
JG Douvikas, TR Sheehy... - US Patent 6,633,311, 2003 - Google Patents
... The service provides multi-mode access and/or **data** delivery interfaces. ... Electronic
mail sent by the cardholder is automatically formatted to contain a signature hypertext
link directing recipients of the **email** to the EBC service. ...
Cited by 53 - Related articles - All 2 versions

Gatekeeper architecture/features to support security policy maintenance and distribution
RW Heard, DR Mann... - US Patent App. ..., 2002 - freepatentsonline.com
... These devices offer a unique blend of lightweight mobility, convenience and functionality providing
an instant-on access to information such as **email**, calendar, address book and other ... The
encryption **module** 608 decrypts the **data** prior to **storage** on the policy **data** store in ...
Cached

Cluster-based scalable network services
A Fox, SD Gribble, Y Chawathe... - ACM SIGOPS ..., 1997 - portal.acm.org
... uses a cluster from TeraData with 768 processors and 16 terabytes of online **storage**. ... Uniform
caching of original, post-aggregation and post- transformation **data** • Transparent access ... and
visualization of the system's behavior, asynchronous error notification via **email** or pager ...
Cited by 590 - Related articles - BL Direct - All 11 versions

Client architecture for portable device with security policies
RW Heard, DR Mann.. - US Patent App. ..., 2002 - freepatentsonline.com
... These devices offer a unique blend of lightweight mobility, convenience and functionality providing
an instant-on access to information such as **email**, calendar, address book and other ... The
encryption **module** 608 decrypts the **data** prior to **storage** on the policy **data** store in ...
Cached

System and method for performing broadcast-enabled disk drive replication in a distributed **data** delivery network
NB Lahr - US Patent App. 20,020/040,404, 2001 - freepatentsonline.com
... 20070288574, System and method of **email** streaming digital video for subscribers, December,
2007, Koster et al. ... received from other tiers of the network 10 , that is, from the regional **data** centers
16 ... of times a file was requested by users, file size, largest amount of **storage** at a ...

Cached

Method for identifying copyright infringement violations by fingerprint detection
AC Abajian - US Patent App. 20,030/061,490, 2002 - freepatentsonline.com
... and/or **data** on **storage** devices (hard drives, flash cards, disc drives, optical disc **storage**). ... also offer an option, perhaps for a fee, for automatically notifying a **data** store or ... Based upon the contact information, the system automatically sends an **email** to the Administrative contact ...
Cached

System and method for distribution of security policies for mobile devices
RW Heard, DR Mann... - US Patent App. ..., 2002 - freepatentsonline.com
... These devices offer a unique blend of lightweight mobility, convenience and functionality providing an instant-on access to information such as **email**, calendar, address book and other ... The encryption **module** 608 decrypts the **data** prior to **storage** on the policy **data** store in ...
Cached

Method for identifying copyright infringement violations by fingerprint detection
AC Abajian - US Patent App. 10/252,903, 2002 - Google Patents
... of web pages and/or **data** on **storage** devices (hard drives, flash cards, disc drives, optical disc **storage**). ... of querying other search **engines**, manu- ally generated sets of web page URLs, and processing **proxy** cache logs (ie ... [0041] Promoter 82, formats and prioritizes **data** for a ...

Gatekeeper architecture/features to support security policy maintenance and distribution
RW Heard, DR Mann, CD Burchett... - US Patent App. 10/ ..., 2002 - Google Patents
... convenience and functionality providing an instant-on access to information such as **email**, calendar, address ... to provide a new gen- eration of devices that may access corporate **data** in an ... Finally, since these devices have significant **storage**, com- puting power and operate in a ...

Server, computer memory, and method to support security policy maintenance and distribution
DR Mann, RW Heard... - US Patent App. ..., 2002 - freepatentsonline.com
... These devices offer a unique blend of lightweight mobility, convenience and functionality providing an instant-on access to information such as **email**, calendar, address book and other ... The encryption **module** 608 decrypts the **data** prior to **storage** on the policy **data** store in ...
Cached

[PDF] ## A Content-based Image Search **Engine** in Cyberspace
Y Lausberg - 1996 - Citeseer
... idea of achieving this is the concept of content-based retrieval and **storage** of image ... CONNECTIVITY Version 15 - 6/15/96 Internet Bitnet but not Internet **EMail** Only (UUCP ... negotiation of **data** representation, allowing systems to be built independently of the **data** being transferred ...
View as HTML - All 5 versions

[PDF] from psu.edu

Method and apparatus for utilizing online presence information
S Glenn, B Schlank, M Rivera... - US Patent App. 09/840,773, 2001 - Google Patents
... languages. However, translation **engine** may be configured to convert protocols or language **data**. Communication **module** 170 may take the form of an applet and be transmitted to the client device along with the message **data**. Thus ...

[PDF] ## Integrated mobile operations support for the construction industry: the COSMOS solution
A Meissner, L Baxevanaki, I Mathes... - Proceedings of the 8th ..., 2002 - Citeseer
... for hosts that are only occasionally moved, such as inventory management PCs at **storage** shelters. ... clients do not have the capability to run client-side scripts, and the **data** sent to ... Due to these limitations, the workflow application implemented is **email**-based, with a web interface ...
Cited by 13 - Related articles - View as HTML - All 6 versions

[PDF] from psu.edu

Methods and systems for analyzing security events
GA Brady... - US Patent App. 20,040/260,947, 2003 - freepatentsonline.com
... Preferably, the server 112 will be configured with sufficient processing power, memory, and **storage** to operate ... 408 or message router 432) then transmits the query 138 to the **data** monitor 136 ... an **email** if the resolution of a security event has low importance, an **email** and sound ...
Cached - All 2 versions

Method and apparatus for integrating disparate telecommunication operational support systems (OSS) and streamlining business processes using a software platform
S Pillai, A Basu... - US Patent App. 20,030/ ..., 2002 - freepatentsonline.com
... and unlimited local calling (within the operator's region), as long as the customer's **email** access was ... this invention is not limited only for use with XML, and other **storage** and retrieval ... integration with business functions and back-end systems and services 800 ; user **data** store to ...
Cached

Methods and systems for analyzing security events
GA Brady... - US Patent App. 10/691,428, 2003 - Google Patents
... The query 138 may be, for instance, an **email** message, an audio message, a ... Preferably, the server 112 will be configured with sufficient processing power, memory, and **storage** to operate as ... In one embodi- ment, the analysis of **data** in a distributed fashion corre- sponds to one ...

Providing access to a plurality of message accounts from a single web-based interface
E Mooney, N Duggan, L O'toole .. - US Patent App. 20,020 ..., 2001 - freepatentsonline.com
... is able to access and retrieve mail from any other IMAP4rev1 compliant **email** server ... 1012 includes
a control processor 1049 having associated memory 1050 that stores **data** and program ... 12 are
a combination of logic and memory **storage** areas or program applications, code or ...
Cached

Intelligent integrated network security device
N Zuk - US Patent App. 20,040/030,927, 2003 - freepatentsonline.com
... Second LAN 116 includes a web server (110), an **email** server (112), a server 102 , several
workstations ... to receive **data** from or transfer **data** to, or both, one or more mass **storage** devices
for ... in a computing system that includes a back-end component, eg, as a **data** server, or ...
Cached

Method and apparatus for integrating disparate telecommunication operational support systems (OSS) and streamlining business processes using a software platform
S Pillai, A Basu... - US Patent App. 10/213,517, 2002 - Google Patents
... for **data** services is additionally more complex because of the heterogeneity of the **data** application
set ... as the number of bytes, the number of higher-level abstractions (number of **email** or SMS ...
connections), but might not be able to enforce a policy that bars HTTP **proxy** traffic but ...

A component based architecture for mobile information access
C Pullela, L Xu, D Chakraborty... - icpp, 2000 - computer.org
... For example, a user wants to print out an **email** from his/her palmtop using ... In a mobile environment,
resources (computation power, memory, **storage** space, communication channel etc.) are very ...
Any information (**data** or software component) that is to be delivered to the mobile ...
Cited by 15 - Related articles - Library Search - All 3 versions

[PDF] from umbc.edu

Method and apparatus for utilizing online presence information
S Glenn, B Schlank, M Rivera... - US Patent App. 20,020/ ..., 2001 - freepatentsonline.com
... 20060075343, Electronic portal for information **storage** and retrieval, April, 2006, Henry. ... For
example, the message may be forwarded to the intended recipient or a **proxy** acting on behalf
of ... 612 , translation **engine** translates the content of the message (eg voice or text **data**) from a ...
Cached

Method and apparatus for dynamic information connection **engine**
BE Barth, LA Gunn, GE Ivey... - US Patent App. ..., 2001 - freepatentsonline.com
... An embodiment of the dynamic information connection **engine**, or search system, specifically
addresses, but is not ... a Load Balancing Servlet 404 , a Copilot Servlet 406 , and a Web Relay
Proxy Servlet 408 ... Note that while the SID is included in the **data** sent to these two servlets ...
Cached

Method and apparatus for dynamic information connection **engine**
BE Barth, LA Gunn, GE Ivey... - US Patent App. 09/ ..., 2001 - Google Patents
... Party unrestricted read access service-defined **data**-output API 1106 output interface **module**
Between the ... Balancing Servlet 404, a Copilot Servlet 406, and a Web Relay **Proxy** Servlet 408 ...
specific interfaces 506, provider web sites 508, server sites 510, and **data** warehouse 512 ...

[BOOK] Mining the World Wide Web: an information search approach
G Chang - 2001 - books.google.com
... For further information, send **email** to <scott.delman@wkap.com ... include the widespread use of
microcomputers, advances in hardware (microproces- sors, memory and **storage**) technologies,
increased ... system is that it has flooded us with a large amount of **data** and information. ...
Cited by 70 - Related articles - Library Search

iMobile ME–Lightweight Mobile Service Platform for Peer-to-Peer Mobile Computing
Y Chen, H Huang, B Wei... - ..., and societal impact: ..., 2002 - books.google.com
... iMobile supports several infolets for accessing corporate databases, **email** servers, directories,
a ... to add a SyncML devlet to support this XML-based **data** exchange mechanism. ... mobile devices
become more powerful in communication, computation, and **storage** capabilities, we ...
Cited by 3 - Related articles - All 4 versions

Authentication and entitlement for users of web based **data** management programs
AH Ahlberg, AP Becar, GL Brand... - US Patent ..., 2003 - Google Patents
... The system further communicates with the/back-end systems for synchronizing **data** associated
with the customers. The sys- tem also accepts and processes security requests from the
front-end and back-end servers associated with the suite of Web enabled applications. ...
Cited by 40 - Related articles - All 3 versions

Hitting the distributed computing sweet spot with TSpaces
TJ Lehman, A Cozzi, Y Xiong, J Gottschalk... - Computer Networks, 2001 - Elsevier
... The use of multiple PIMs then creates multiple, independent **storage** locations for information. ...
context, an agent may not be getting timely or consistent access to **data**, sufficient computing ... Jini
lookup and **proxy** downloading mechanisms are used to tie pods, liaisons and agents ...
Cited by 112 - Related articles - All 13 versions

[PDF] from psu.edu

Intelligent configuration bridge system and method for adding supplemental capabilities to an existing high speed **data** infrastructure

BS Harrison, X He... - US Patent App. 10/704,648, 2003 - Google Patents

... [0028] 6. Limited **data storage**. ... server that recognizes the end device and, based on the device's credentials, provides it with an IP address and IP configuration **data**. ... would need to log into the network before the Internet or any network based applications such as **email** could be ...

Meta model for an enterprise service architecture

R Brendle, F Brunswig, J Dietl... - US Patent App. ..., 2003 - freepatentsonline.com

... Computer 6 also includes a **data storage** device 8 containing an information repository 18 that defines and ... specified by **front end** application program 12 on multiple instances of a **data** type in ... 64 specifies which keys may be used for mass operations, eg, an **email** action may ...
Cached

[PDF] Survey of technology relevant to a user-Grid interface for ATLAS and LHCb

K Harrison... - 2002 - password.gridpp.ac.uk

... Job services; • **Data** services; • Info services; ... It is also possible to select a particular Computing Element to run on and introduce an **email** address for job status notifications. ... **Storage** Elements present at each site, the connection port, the size and the mount point. ...
Related articles - View as HTML - All 17 versions

[PDF] from gridpp.ac.uk

Digital television application **protocol** for interactive television

R Alao, A Delpuch, V Dureau... - US Patent App. ..., 2001 - freepatentsonline.com

... for a single STB or client device using abstract viewer identifiers comprising pseudonyms or nicknames, full names and PIN **storage** in the ... when going online, the SP provides the ability to connect for a short period of time to access **data** (eg, **email**) then uses the **data** locally ...
Cached

Intelligent configuration bridge system and method for adding supplemental capabilities to an existing high speed **data** infrastructure

BS Harrison, X He... - US Patent App. 20,040/ ..., 2003 - freepatentsonline.com

... [0028] 6. Limited **data storage**. ... Residential and business users have different needs requiring separate ISP services such as **email**, content, applications and network ... these applications for business users may reside on separate physical networks or in separate **data** centers. ...
Cached

[PDF] SWAPEROO: a simple wallet architecture for payments, exchanges, refunds, and other operations

N Daswani, D Boneh, H Garcia-Molina... - Proceedings of the ..., 1998 - usenix.org

... user visit the vendor's web site, or 2) having the vendor send the user **email**. ... **storage**, and for decrypting instrument state information when reading this information back from persistent **storage**. ... In our implementation, the components of the wallet are all private **data** members of ...
Cited by 8 - Related articles - View as HTML - All 20 versions

[PDF] from usenix.org

[BOOK] E-business and distributed systems handbook: architecture **module**

A Umar - 2003 - books.google.com

... **MODULE** (ARCHITECTURES) **Data** Architectures **Data** models **Data** placement **Data** access Software Architectures Software components Location of components Interactions/interfcaes ... The specific issues to be dealt with are **storage** and retrieval of Web **data** in HTML ...
Cited by 8 - Related articles

[PDF] Core Grid Functions: A Minimal Architecture for Grids

J Brooke... - 2001 - Citeseer

... but which will not support a job initiation service (eg instruments and **storage** systems) ... for Control and Observation in Distributed Environments, [22] • Examples – Monitoring **Data** Archives for ... Delegation involves generating and sending a **proxy** certificate and its private key to a ...
Cited by 1 - Related articles - View as HTML - All 11 versions

[PDF] from psu.edu

Switch **engine** for risk position discovery in an electronic trading system

RB May - US Patent App. 20,040/015,430, 2003 - freepatentsonline.com

... may be utilized including hard disks, CD-ROMs, optical **storage** devices, or magnetic **storage** devices ... 2) downloading them across the network from a server on the internal; **data** network of ... After the user logs on, the user will download (preferably from **proxy** agent 110) the Java ...
Cached

Mapping from a single sign-in service to a directory service

DR Mowers, JE Brezak, RB Ward... - US Patent App. ..., 2002 - freepatentsonline.com

... The **email** address and password may be verified by an external trusted authority, which ... of information such as computer-readable instructions, **data** structures, program modules, or other **data**. Computer **storage** media includes, but is not limited to, RAM, ROM, EEPROM, flash ...
Cached

E-service to manage contact information and track contact location

JG Douvikas, TR Sheehy... - US Patent App. 10/679,373, 2003 - Google Patents

... personal **data** 530 535 .^Continue witrr^ , »(A] new user? |No 540 Ecardfile > 'returns , Registration \Qonfirmation page J f 545 ./User accepts^^c Yes terms? Ecardfile returns the home

page for the new user (End New Member) •599 (End New Member) ^599 **Email** message is ...

[BOOK] Pervasive computing: The mobile world
U Hansmann - 2003 - books.google.com
... 16 Gateways 327 16.1 Connectivity Gateway 327 16.2 Palm Webclipping **Proxy** Server 328 ... 20.3
The Challenges of Synchronizing **Data** 389 20.4 Industry **Data** Synchronization Standards ...
Electronic **storage**, transmission, and access of information are common tasks we rely ...
Cited by 152 - Related articles - Library Search - All 5 versions

Customer premises equipment autoconfiguration
KB Lo - US Patent App. 20,020/026,504, 2001 - freepatentsonline.com
... 20050081057, Method and system for preventing exploiting an **email** message, April, 2005, Cohen
et al. ... As those skilled in the art will appreciate, some or all of the software and **data** contained
in memory 204 could also be stored in an external **storage** device, such as a CD ...
Cached

Method and system for overcoming denial of service attacks
M Vange, M Plumb... - US Patent App. 20,020/ ..., 2001 - freepatentsonline.com
... Shared network resource 210 may comprise a web server, **email** server, file server, chat server ...
components of the present invention may be stored in or implemented in shared mass **storage**. ...
choose amongst the available **data** packets so as to prioritize some **data** packets over ...
Cached

Digital television application **protocol** for interactive television
R Alao, M Huntington, W Lam... - US Patent App. ..., 2002 - freepatentsonline.com
... The viewer manager supports distributed **data** capture and **storage** between the SP and the STB,
and ... using abstract viewer identifiers comprising pseudonyms or nicknames, full names and PIN
storage in the ... the orders are sent real-time back to the user sent via **email** to the ...
Cached - All 2 versions

Mapping from a single sign-in service to a directory service
DR Mowers, JE Brezak, RB Ward. . - US Patent App. 10/ ..., 2002 - Google Patents
... be screened by the security filter 220 to allow the authorizer 126 to get tickets for a **proxy** service
to ... The **email** address and password may be verified by an external trusted author- ity, which sends
a communication containing a ... 0055] The conversion between **data** structures 400 ...

A generalized digital wallet architecture
N Daswani, D Boneh, H Garcia-Molina... - ... Commerce, p. 121- ..., 2000 - ilpubs.stanford.edu
... user visit the vendor's web site, or 2) having the vendor send the user **email**. ... **storage**, and for
decrypting instrument state information when reading this information back from persistent **storage**. ...
In our implementation, the components of the wallet are all private **data** members of ...
Cited by 2 - Related articles - All 4 versions

[PDF] from stanford.edu

Grid manageable application process management scheme
E Bozak, A Gebhart - US Patent App. 20,050/044,251, 2003 - freepatentsonline.com
... 20090083384, Collaborative **Email** With Hierachical Signature Authority, March, 2009, Bhogal
et al. ... coupled to receive **data** from or transfer **data** to, or both, one or more mass **storage** devices
for ... in a computing system that includes a back-end component, eg, as a **data** server, or ...
Cached

Method and apparatus for network-based portfolio management and risk-analysis
W Sobel, A Aleskovski, P Hand... - US Patent App. ..., 2003 - freepatentsonline.com
... Event queuing can be FIFO or managed. [0160] 6. EHOs instantiate **Proxy** Result Objects (PRO),
adds them to the session variables, and invokes BDT to handle events. ... [0298] Billing Logging.
[0299] Tier 6: **Data** Access. [0300] Billing **Storage**. [0301] Logon. ...
Cached

Method and system for monitoring performance of applications in a distributed environment
JC Chong, JL Chan, TM Patel... - US Patent App. ..., 2003 - freepatentsonline.com
... 20090254619, STATUS-BASED FILTERED **EMAIL** ALERTS, October, 2009, Kho et al. ... to set the
sampling ratio, thereby limiting the amount of **data** required for **storage** in the ... and different request
strings and after their successful executions, the resulting performance **data** is to be ...
Cached

System and method for integrating network services
RB Sullivan, DF Vrsalovic... - US Patent App. 09/895,999, 2001 - Google Patents
... 2, a logical model of one embodiment of a meta-server 200 is comprised of a plurality of
"services"210 (eg, **email** services, Web services, **data**- base services ... 4 configured within a **data**
center ... [0052] Zone: A "Zone" is a named logical grouping of execution or **storage** resources (eg ...

Application infrastructure platform (AIP)
TA Robb, JL Standiee, AE Bevis... - US Patent App. ..., 2002 - freepatentsonline.com
... Distributed transaction management allows applications to perform reliable transactions on AIP
data stores. ... is also a part of the Applications container 111 and provides one common format
for the transmission and **storage** of messages such as **email**, voice mail, fax ...
Cached

Business-to-business interactions: issues and enabling technologies

B Medjahed, B Benatallah, A Bouguettaya.. - ... on Very Large Data ..., 2003 - portal.acm.org

... Interaction is also required at a higher level for connect- ing (i) **front-end** with back ... on different ORBs communicate over the Internet through the Internet Inter-ORB **Protocol** (IIOP ... Electronic Commerce Domain Task Force) reference model which includes a semantic **data** facility [72 ...

Cited by 20a - Related articles - All 25 versions

Data mining system

J Stern, JW Rothman-shore... - US Patent App. ..., 2001 - freepatentsonline.com

... computer **storage**, relatively easy protection of digital information from natural disasters and wear, almost instantaneous ... g) The "Post-Processor 51 " which enhances the **data**, in particular analyzes the **data** and adds missing pieces of information, such as **email** addresses. ...

Cached

Application business object processing

R Brendle... - US Patent App. 20,050/021,354, 2003 - freepatentsonline.com

... interface 420 provides methods for: 1) creating and releasing parameters and values, including elementary types, structures, and objects; 2) setting and getting value **data**; and 3) marshaling **data**. ... Queue **storage** area 510 stores the queue from RPE **proxy** 15 . ...

Cached

System and method for designing, developing and implementing internet service provider architectures

JV Nguyen - US Patent App. 10/375,589, 2003 - Google Patents

... **protocol** (SMTP) connection Application dependent Memory requirement for **email** server FIG ... **Storage** requirement for log archive SaBB Environment dependent **Storage** requirement for ... 61 Variable Value Description /**data** Environment dependent **Data** (MailStores, web contents ...

Internetworking system and method for a global telecommunications network

Al Reiter... - US Patent 6,421,727, 2002 - Google Patents

... for Administration, Commerce, and Transport) EMFE Extract, Merge & Format **Engine** FDE Firm **Data** Editor FIH ... Other Credits and Charges PBCH Pre-Bill Cycle Handler PCE Post Composition **Engine** PCL Print Control Language PPM Post Processing **Module** PSF Print ...

Cited by 11 - Related articles - All 2 versions

[PDF] An Implementation of the Server Cache Synchronisation Protocol (SCSP)

SCS Protocol - 1999 - netlab.tkk.fi

... lead to considerable redundancy in stored **data**, with the resultant waste in **storage** space. ... create and query directories of people and information for example user names, **email** address, and ... The WHOIS++ server functions as a known **front end**, offering a simple **data** model and ...

Related articles - View as HTML - All 5 versions

System and method for multiple data sources to plug into a standardized interface for distributed deep search

Y Faybishenko, GH Kan... - US Patent App. ..., 2002 - freepatentsonline.com

... 20020073110, Version collection technique implemented on an intrinsic versioning information **storage** and retrieval system, June ... A QRP interface may be configured as a **proxy** for a consumer or a provider ... The query may be compared to the registrations (eg meta-**data** indexes). ...

Cached

[PDF] A Scalable Data Structure for

APD Server... - 1997 - Citeseer

... Possible applications are directory manage- ment, charging of calls, **email**-databases, and multi-media repositories. ... This two-level **storage** di- vides **data** so that permanent **data** is stored on disk and temporary **data** is managed in (virtual) main memory. ...

Related articles - View as HTML - All 4 versions

Remote debugging of software

R Brendle, F Brunswig... - US Patent App. 20,050/ ..., 2003 - freepatentsonline.com

... Computer 6 also includes a **data storage** device 8 containing an information repository 18 that ... Similarly, the meta **data** describing a query in repository 18 defines which query service ... In one example, the service manager **proxy** 14 communicates with service manager 16 using ...

Cached

[BOOK] An experimental framework for executing applications in dynamic grid environments

E Huedo, RS Montero... - 2002 - Citeseer

... **Email** your question via the Internet to help@sti.nasa.gov ... to support Grid applications: GRAM Globus Resource Allocation Manager , GASS Global Access to Secondary **Storage** , GSI Grid ... In the current version of our tool, users must explicitly manage their own checkpoint **data**. ...

Cited by 26 - Related articles - View as HTML - Library Search - All 5 versions

Remote debugging of software

R Brendle, F Brunswig... - US Patent App. 10/740,384, 2003 - Google Patents

... an end user system from a **front-end** application program executing on a **front-end** device acting as a **proxy** to one ... 7-9 are network configurations for remotely debugging a software **module** of the business software application ... [0037] Computer 6 includes a **data storage** device 22 ...

[PDF] A Mobile Agent Systems' Overview

[PDF] from uni.pt

H Paulino – Departamento de Informatica, Faculdade de Ci'encias ..., 2002 - asc.di.fct.unl.pt
... Deactivation: removes temporarily the aglet from its context and stores it in secondary **storage**. ...
The **data** may be sent directly or encrypted using PGP. Each **email** communicator has a special
email address where a local monitor thread accepts incoming mails. ...
Cited by 6 - Related articles - View as HTML - All 2 versions

[PDF] SimDB-a grid software environment for molecular dynamics simulation and analysis: Design and user interface

[PDF] from psu.edu

M Abdullah - 2002 - Citeseer
... the server. Modifications allow this text-based **protocol** to be extended to a fully- functional
graphical user interface. ... Thus, in the SimDB design any TDS must manage ample **storage**
for large trajectory **data** sets, but only little computation ...
Cited by 1 - Related articles - Library Search - All 5 versions

Method and system for query-based management of multiple network resources

V Rajarajan, K Nedungadi, C Kiernan... - US Patent App. 10/ ..., 2001 - Google Patents
... Volatile Memory ^-1 202 Processing Unit Removable **Storage** Non-Removable **Storage** 208 210 ...
Plugin Database 336 Search Store Resource 1002 Plugin Search Manager **Proxy** (SOAP) Search ...
Handler From Schema Package **Data** In XML Format * Send **Data** To Resource ...
Cited by 6 - Related articles - All 3 versions

JAGR: An autonomous self-recovering application server

[PDF] from psu.edu

G Candea, E Kiciman, S Zhang ... - ... 2003. Proceedings of ..., 2003 - ieeexplore.ieee.org
... components required by the application (eg, a database used for persistent state **storage**), and
finally ... Using statistical and **data** mining techniques, Pinpoint analyzes these traced client requests,
or paths, to ... entire system to no avail, it can notify a sysadmin by pager, **email**, etc. ...
Cited by 73 - Related articles - All 18 versions

Application infrastructure platform (AIP)

TA Robb, JL Standlee, AE Bevis... - US Patent App. 10/ ..., 2002 - Google Patents
... m Web **Proxy**/ Cache IDS Streaming Server -785 -789 Edge UA/VB -797 Server V-793 MTA WAP
GW V797 ^ ^765 Portal _ _ Servers ■763 767 Application Servers P 769 UM (Mail) Servers M
Load Bine U Web Srvr 777-^ Transaction Server ^771 Content Server Corp **Data** < T3 ...

Method and system for wireless voice channel/**data** channel integration

YJ Jiang... - US Patent App. 20,020/057,678, 2001 - freepatentsonline.com
... During a voice call, a wireless **data** message (eg, SMS or **email**) is sent to the wireless ... application
engine 610 then generates a VoiceXML document and stores it in a local **storage** for expected ...
expected caller dials into the system (from a manual dial or from a **data** session), the ...
Cached

Managing content resources

KA Dobbins, JP Poirier, WJ Weiss ... - US Patent App. ..., 2001 - freepatentsonline.com
... [0040] 1) Personal information such as first name, last name, **email** address, password and ... The
OSS vendor develops the XML interface according to a **Data** Type Definition (DTD) provided,
for ... [0082] The third entity that is used in performing authentication is a **storage** entity for ...
Cached

Method and apparatus for remote discovery of software applications in a networked environment

MB Sutler - US Patent App. 20,050/102,383, 2003 - freepatentsonline.com
... 20070255789, DYNAMIC SET OPERATIONS WHEN SPECIFYING **EMAIL** RECIPIENTS,
November, 2007, Buchheit. ... component uses a configuration file and the host and applications
data placed in ... to-use and easy-to-understand user interface for the **storage** management tool ...
Cached

Tcp/udp acceleration

H Hall, I Sokolinski... - US Patent App. 20,040/ ..., 2003 - freepatentsonline.com
... METHODS FOR SENDING AN **EMAIL** AND DISTRIBUTING AN **EMAIL** AND AN **EMAIL** SERVER
Li et ... 40 depicts configuration of **storage** by the volume manager in accordance with another aspect
of the ... 41 depicts **data** structures for keeping track of virtual devices and sessions. ...
Cached

Introducing a New Paradigm for Computational Earth Science--A web-object-based approach to Earthquake Simulations

[PDF] from psu.edu

GC Fox, K Hurst, A Donnellan... - Geophysical monograph, 2000 - books.google.com
... scientific **data** struc- tures like arrays and the necessary multi-level **storage** specification. ... **Data**
Vegetation **Data** Internet WebFlow modules (back-end) > Web Browser **Data** Wizard WMS ... WMS
WebFlow applet (**front-end**) HOP WebFlow middle-tier CASC2D **proxy** GLOBUS Hlgji ...
Cited by 4 - Related articles - BL Direct - All 6 versions

System and method for integrating network services

SR Robert Jr, DF Visalovic... - US Patent App. 20,030/ ..., 2001 - freepatentsonline.com
... of a meta-server 200 is comprised of a plurality of "services" 210 (eg, **email** services, Web ... 0052]
Zone: A "Zone" is a named logical grouping of execution or **storage** resources (eg ... 201 includes

the configuration, provisioning methods, and status of the running **data** center services **...**
Cached

Systems and methods for intelligent information retrieval and delivery in an information management environment
SC Johnson, CC Qiu... - US Patent App. 20,020/ ..., 2001 - freepatentsonline.com
... 20020147779, Method and computer program product for providing **email** that guides a recipient
through a set of associated web **...** that deliver **data** objects that include multiple memory units (eg
data files containing multiple **data** blocks) and/or multiple **storage** device blocks **...**
Cached

Method and system for furnishing an on-line quote for an insurance product
RB Grover, D White, L Hirning... - US Patent App. ..., 2002 - freepatentsonline.com
... a web site as a vehicle for getting quote requests for its insurance products via **email**, which
generates **...** S 41 , the screen of the administration tool 160 is pre-filled with the **data** in the **...** It is a
Unix method for controlling the creation, use, and safe **storage** of passwords that involves **...**
Cached

[PDF] A survey of distributed computing, computational grid, meta-computing and network information tools
RJ Allan... - Daresbury, Warrington WA4 4AD, UK, 2001 - Citeseer
... Using the standard Internet Inter-ORB **Protocol** (IIOP), built on top of TCP/IP, a **...** Engineering, 0114
University of California San Diego La Jolla, CA 92093 USA **Email**: rich@cs **...** Joint project between
Caltech, CERN and Hewlett-Packard is addressing the **data storage** and access **...**
Cited by 6 - Related articles - View as HTML - All 2 versions

Method and system for query-based management of multiple network resources
V Rajarajan, K Nedungadi .. - US Patent App. ..., 2001 - freepatentsonline.com
... 1 , may be an **email** system that controls the **email** for a particular network, and **...** of information
such as computer readable instructions, **data** structures, program modules or other **data**. Memory
204 , removable **storage** 208 , and non-removable **storage** 210 are all examples of **...**
Cached

Performance-based supply chain management system and method with automatic alert threshold determination
DE Eicher, A Pal, WA Scelzo... - US Patent App. 09/ ..., 2001 - Google Patents
... 70 P Service Catalog Update **Module** P Business Document Monitor **Module** Alert **Module** 76
P **...** and users select the ones they will provide, and also allowed to specify **proxy data** feeds 300 **...**
life cycle Users work to provide transaction history for message sets/**data** feeds specified **...**

Switching system
S Ferrari, W Stronge, C Cochrane... - US Patent App. ..., 2003 - freepatentsonline.com
... 20050172003, Intelligent **email** services, August, 2005, Richardson Jr. **...** [0070] FIG. 40 depicts
configuration of **storage** by the volume manager in accordance with another aspect of the invention. **...**
41 depicts **data** structures for keeping track of virtual devices and sessions. **...**
Cached

Performance-based supply chain management system and method with metalerting and hot spot identification
DE Eicher Jr, A Pal, WA Scelzo... - US Patent App. 09/ ..., 2001 - Google Patents
... _J Approval **Module** Service 66 Catalog J> Update **Module** Business Document Monitor **Module**
76 P **...** select the ones they will provide, and also allowed to specify **proxy data** feeds 300 **...** life cycle
306 Users work to provide transaction history for message sets/**data** feeds specified **...**

Stateless, event-monitoring architecture for performance-based supply chain management system and method
DPM Stowell... - US Patent App. 09/765,345, 2001 - Google Patents
... MESSAGES SUPPLIER ■ 24 **DATA** EXTRACTION FROM MESSAGES **DATA** ALLOCATION
AND **STORAGE DATA STORAGE** SYSTEM **...** they will provide, and also allowed to specify **proxy**
data feeds 300 **...** work to provide transaction history for message sets/**data** feeds specified **...**

System and method for representing an object used in management of multiple network resources
V Rajarajan, K Nedungadi .. - US Patent App. . .., 2001 - freepatentsonline.com
... 1 , may be an **email** system that controls the **email** for a particular network, and **...** of information
such as computer readable instructions, **data** structures, program modules or other **data**. Memory
204 , removable **storage** 208 , and non-removable **storage** 210 are all examples of **...**
Cached

[PDF] Identity based encryption from the tate pairing to secure **email** communications
M Baldwin - 2002 - Citeseer
... Regardless of the choice of the function f, which applies a transformation to the key and **data**,
the **...** traction of users' private keys. To demonstrate the proposed **email** system, a Trust **...** processed
by an IDL compiler to produce **proxy** and stub code for the interface. The **...**
Cited by 6 - Related articles - View as HTML - All 2 versions

[PDF] Web services based architecture in computational web portals

C Youn - 2003 - Citeseer
... 109 7.4 Conversion the legacy output **data** into XML format using the **email** notification ... mac
e inert objects on persistent **storage**. formation necessary to inst ... application-defined **data** types,
and a remote procedure call (RPC) convention and responses. ...
Cited by 5 - Related articles - View as HTML - Library Search - All 3 versions

[PS] Rule-based Application Integration using XML   [PS] from ualberta.ca
H Zhang - 2001 - cs.ualberta.ca
... **EMAIL** ANSWER TASK.....48 ... interfere with the modules that parse, validate,
and understand **data** to and from the ... Scalability:The mediator **engine** should
be capable of interacting with a large number of ...
Related articles - View as HTML - All 3 versions

Method and system for task based management of multiple network resources
V Rajarajan, K Nedungadi... - US Patent App. ..., 2001 - freepatentsonline.com
... 1 , may be an **email** system that controls the **email** for a particular network, and ... of information
such as computer readable instructions, **data** structures, program modules or other **data**. Memory
204 , removable **storage** 208 , and non-removable **storage** 210 are all examples of ...
Cached

Performance-based supply chain management system and method with collaboration environment for dispute resolution
DE Eicher, A Pal, WA Scelzo... - US Patent App. 09/ ..., 2001 - Google Patents
... 68 Linking **Module** 70 Service \ 66 Catalog I_J Update **Module** Business Document Monitor
Module -72 12 ... and users select the ones they will provide, and also allowed to specify **proxy data**
feeds 300 ... to monitor but not on KPI list 408 User allowed to specify other **data** feeds No ...

Create email alert

Goooogle ▶

Result Page: 1 2 3 4   **Next**

Go to Google Home - About Google - About Google Scholar

©2011 Google